


**Brass Spacers Clearance Spacers**

**Brass Spacers Clearance Spacers**



BRASS SPACERS THREADED SPACERS HEX METRIC SPACERS UNF UNC UNEF THREADED SPECAERS  
NICKEL PLATED ELECTRONIC HARDWARE

**XE    XXXX -    XXX - X - X**

R or H    Part No.    Thread    |    Finish

Round                    Material

Or Hex

**SUCH AS: H104-1003-440-S-Z**

**In Inches**

Code "E"	Body OD	Part No.	Length	Part No.	Length	Code	Thread		Code	Material
108	1/8	1000	3/32	1041	1-3/4	080	0-80		A	Aluminum
316	3/16	1001	1/8	1042	1-13/16	256	2-56		B	Brass
104	1/4	1002	5/32	1043	1-7/8	440	4-40		S	Steel
516	5/16	1003	3/16	1044	1-15/16	632	6-32		SS	Stainless Steel
308	3/8	1004	7/32	1045	2"	832	8-32		P	POM
102	1/2	1005	1/4	1046	2-1/8	1032	10-32			
508	5/8	1006	9/32	1047	2-1/4	1224	12-24			
304	3/4	1007	5/16	1048	2-3/8	2520	1/4-20			
		1008	11/32	1049	2-1/2	3118	5/16-48			
		1009	3/8	1050	2-5/8	3716	3/8-16		<b>Code</b>	<b>Finish</b>
		1010	13/32	1051	2-3/4	4314	7/16-14		PP	Pre-Plating

		1011	7/16	1052	2-7/8				O	Plain
		1012	15/32	1053	3"				Z	Zinc
		1013	1/2	1054	3-1/4				N	Nickel
		1014	17/32	1055	3-1/2				A	Anodize
		1015	9/16	1056	3-3/4				B	Black Oxide
		1016	19/32	1057	4"				T	Tin
		1017	5/8	1058	4-1/4					
		1018	21/32	1059	4-1/2					
		1019	11/16	1060	4-3/4					
		1020	23/32	1061	5"	DEPTH OF THREADS				
		1021	3/4	1062	5-1/4	Thread	Tapped Through		Blind Depth	
		1022	25/32	1063	5-1/2		Aluminum, Brass, Steel, POM	ST Steel	Aluminum, Brass, ST Steel, POM	
		1023	13/16	1064	5-3/4					
		1024	27/32	1065	6"	0-80	3/8	1/4	3/16	
		1025	7/8	1066	6-1/4	2-56	3/4	5/8	3/16	
		1026	29/32	1067	6-1/2	4-40	1	3/4	3/16	
		1027	15/16	1068	6-3/4	6-32	1	1	3/8	
		1028	31/32	1069	7"	8-32	1	1	7/16	
		1029	1"	1070	7-1/4	10-32	1-1/8	1	1/2	
		1030	1-1/16	1071	7-1/2	12-24	1-1/8	1	1/2	
		1031	1-1/8	1072	7-3/4	1/4-20	1-1/4	1-1/4	5/8	
		1032	1-3/16	1073	8"	5/16-48	1-1/4	1-1/4	5/8	
		1033	1-1/4	1074	8-1/4	3/8-16	1-1/4	1-1/4	5/8	
		1034	1-5/16	1075	8-1/2	7/16-14	1-1/4	1-1/4	5/8	
		1035	1-3/8	1076	8-3/4					
		1036	1-7/16	1077	9"					
		1037	1-1/2	1078	9-1/4					
		1038	1-9/16	1079	9-1/2					
		1039	1-5/8	1080	9-3/4					
		1040	1-11/16	1081	10"					

SPEC In Metric										
Code "E"	Body OD	Part No.	Length	Part No.	Length	Code	Thread		Code	Material
04	4.5	M1200	3	M1216	19	2545	M2.5x0.45		A	Aluminum
06	6	M1201	4	M1217	20	3005	M3x0.5		B	Brass
08	8	M1202	5	M1218	21	3505	M3.5x0.5		S	Steel
10	10	M1203	6	M1219	22	4007	M4x0.7		SS	Stainless Steel
13	13	M1204	7	M1220	23	5008	M5x0.8		P	POM
		M1205	8	M1221	24					
		M1206	9	M1222	25				Code	Finish

		M12 07	10	M12 23	28				PP	Pre-Plating	
		M12 08	11	M12 24	31				O	Plain	
		M12 09	12	M12 25	34				Z	Zinc	
		M12 10	13	M12 26	37				N	Nickel	
		M12 11	14	M12 27	40				A	Anodize	
		M12 12	15	M12 28	43				B	Black Oxide	
		M12 13	16	M12 29	46				T	Tin	
		M12 14	17	M12 30	49						
		M12 15	18	M12 31	52						
									DEPTH OF THREADS		
									Tapped Through	Blind Dept h	
								Thread			Alum, Brass, Steel, POM
										Alum Bras s, ST ST Steel, POM	
								M2x0.4	9	6	4.7
								M2.5x0.45	19	16	4.7
								M3x0.5	25	19	6.3
								M3.5x0.5	25	25	9.5
								M4x0.7	25	25	11.1
								M5x0.8	28	25	12.7
								M6X1	31	31	16

**ADDEESS:**

**A1metallics INDIA** Plot- 1255, GIDC Industrial Estate, Shanker tekri Jamnagar 361004 Gujarat INDIA

**CONTACTS:**

PHONE : 91-22-43449300/99

FAX : 91-22-22834046

EMAIL : [sales@a1metallics.com](mailto:sales@a1metallics.com)

**[CONTACT US](#) | [BACK TO HOME PAGE](#)**

**KEYWORDS:**

**Brass spacers, clearance spacers, Metric Spacers, Brass spacer nuts, Hex spacers, Nickel plated spacers,.UNC UNF UNEF threaded spacers,.Brass Spacers manufacturers , Spacer Standoffs Nuts, Distance Bolts and Brass Standof,**