



		1011	7/16	1052	2-7/8				O	Plain
		1012	15/32	1053	3"				Z	Zinc
		1013	1/2	1054	3-1/4				N	Nickel
		1014	17/32	1055	3-1/2				A	Anodize
		1015	9/16	1056	3-3/4				B	Black Oxide
		1016	19/32	1057	4"				T	Tin
		1017	5/8	1058	4-1/4					
		1018	21/32	1059	4-1/2					
		1019	11/16	1060	4-3/4					
		1020	23/32	1061	5"	DEPTH OF THREADS				
		1021	3/4	1062	5-1/4	Thread	Tapped Through		Blind Depth	
		1022	25/32	1063	5-1/2		Aluminum, Brass, Steel, POM	ST Steel	Aluminum, Brass, ST Steel, POM	
		1023	13/16	1064	5-3/4					
		1024	27/32	1065	6"	0-80	3/8	1/4	3/16	
		1025	7/8	1066	6-1/4	2-56	3/4	5/8	3/16	
		1026	29/32	1067	6-1/2	4-40	1	3/4	3/16	
		1027	15/16	1068	6-3/4	6-32	1	1	3/8	
		1028	31/32	1069	7"	8-32	1	1	7/16	
		1029	1"	1070	7-1/4	10-32	1-1/8	1	1/2	
		1030	1-1/16	1071	7-1/2	12-24	1-1/8	1	1/2	
		1031	1-1/8	1072	7-3/4	1/4-20	1-1/4	1-1/4	5/8	
		1032	1-3/16	1073	8"	5/16-48	1-1/4	1-1/4	5/8	
		1033	1-1/4	1074	8-1/4	3/8-16	1-1/4	1-1/4	5/8	
		1034	1-5/16	1075	8-1/2	7/16-14	1-1/4	1-1/4	5/8	
		1035	1-3/8	1076	8-3/4					
		1036	1-7/16	1077	9"					
		1037	1-1/2	1078	9-1/4					
		1038	1-9/16	1079	9-1/2					
		1039	1-5/8	1080	9-3/4					
		1040	1-11/16	1081	10"					

SPEC In Metric										
Code "E"	Body OD	Part No.	Length	Part No.	Length	Code	Thread		Code	Material
04	4.5	M1200	3	M1216	19	2545	M2.5x0.45		A	Aluminum
06	6	M1201	4	M1217	20	3005	M3x0.5		B	Brass
08	8	M1202	5	M1218	21	3505	M3.5x0.5		S	Steel
10	10	M1203	6	M1219	22	4007	M4x0.7		SS	Stainless Steel
13	13	M1204	7	M1220	23	5008	M5x0.8		P	POM
		M1205	8	M1221	24					
		M1206	9	M1222	25				Code	Finish

