


Wiping Cable Glands Brass

Brass Cable Glands Wiping



Gland Size	Dai. over metal sheath of Cable	Dimension in mm						
		A	B	ØC	ØD	E	F	ØJ
Z	25 to 94	195	140	108	32	190	100	14

Size	Z
Application	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
Material	Brass BS 2874
Accessories	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket



Wiping Gland "X" and "Y"

Gland Size	Dai. over metal sheath of Cable	Dimension in mm									
		A	B	ØC	ØD	E	F	G	H	ØJ	R
X	12 to 51	137	90	60	19	90	90	66	66	12	12
Y	25 to 78	155	95	108	32	114	123	95	86	14	14

Application	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
Material	Brass BS 2874
Accessories	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket
Size	X and Y

Threads

- UNC & UNF Threads
- ISO metric (MM Threads)
- BA Threads
- As per Customers Requirements
- BSW Threads

ADDEESS:

A1metallics INDIA Plot- 1255, GIDC Industrial Estate, Shanker tekri Jamngar 361004 Gujarat INDIA

CONTACTS:

PHONE : 91-22-43449300/99
 FAX : 91-22-22834046
 EMAIL : sales@a1metallics.com

KEYWORDS:

brass cable glands wiping, brass cable glands, wiping brass glands, pg cable glands, cable glands, plastic cable glands, brass cable, brass cable gland, cable manufacturers, marine cable gland, cable gland size, marine cable glands, manufacturers, exporters and suppliers from A1Metallics