


## Wiping Cable Glands Brass

### Brass Cable Glands Wiping



Gland Size	Dai. over metal sheath of Cable	Dimension in mm						
		A	B	ØC	ØD	E	F	ØJ
Z	25 to 94	195	140	108	32	190	100	14

<b>Size</b>	Z
<b>Application</b>	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
<b>Material</b>	Brass BS 2874
<b>Accessories</b>	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket



### Wiping Gland "X" and "Y"

Gland Size	Dai. over metal sheath of Cable	Dimension in mm									
		A	B	ØC	ØD	E	F	G	H	ØJ	R
X	12 to 51	137	90	60	19	90	90	66	66	12	12
Y	25 to 78	155	95	108	32	114	123	95	86	14	14

<b>Application</b>	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
<b>Material</b>	Brass BS 2874
<b>Accessories</b>	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket
<b>Size</b>	X and Y

### Threads

- UNC & UNF Threads
- ISO metric (MM Threads)
- BA Threads
- As per Customers Requirements
- BSW Threads

### ADDEESS:

**A1metallics INDIA** Plot- 1255, GIDC Industrial Estate, Shanker tekri Jamngar 361004 Gujarat INDIA

### CONTACTS:

PHONE : 91-22-43449300/99  
 FAX : 91-22-22834046  
 EMAIL : [sales@a1metallics.com](mailto:sales@a1metallics.com)

**KEYWORDS:**